



CONCRETE
POLISHING
SYSTEMS
GBPOLISHING.COM

G3 ULTIMATE

SAFETY DATA SHEET

1. PRODUCT IDENTIFICATION

TRADE NAME (AS LABELED)	G3 Ultimate
Chemical Name:	Aqueous Polymer Solution
DOT Hazard Class:	N/A
DOT Shipping Name:	Cleaning compound Non Hazardous
Product Code:	N/A
CAS Number:	Mixture, no single number applies
HTS#:	3405.90.0000
 SUPPLIER	 Wagman Metal Products, Inc.
	400 S Albemarle St. York, PA 17403
	24 Hours day / 7 Days week
Phone:	717.854.2120
Email:	email@wagman.us
Emergency Telephone:	1-800-535-5053 (INFOTRAC)
 DATE OF CURRENT REVISION	 January 13, 2013

2. HAZARD INGREDIENTS

HAZARDOUS INGREDIENTS	CAS#	%	TLV (UNITS)	PEL
Water	7732-18-5	40-80	ND	ND
Glycol Ether	111-76-2	<10	ND	ND
Polymer Dispersion	Proprietary	15-25	ND	ND
Isopropyl Alcohol	67-63-0	<10	ND	ND

3. HAZARDS IDENTIFICATION

PERMISSIBLE EXPOSURE LEVEL	Undetermined
EYES	Possible eye irritation may occur.
SKIN	Prolonged contact may cause irritation.
INHALATION	Mist may be mildly irritating.
INGESTION	May cause nausea.

THIS MATERIAL IS NOT LISTED AS A CARCINOGEN BY IARC, NTP OR OSHA

4. FIRST AID MEASURES

EYE CONTACT	Flush with water lifting eyelids. Get medical attention if irritation persists. SKIN CONTACT: Wash with water.
INHALATION	Remove victim to fresh air.
INGESTION	Do not induce vomiting. Call physician.

5. FIRE AND EXPLOSION HAZARD INFORMATION

FLASH POINT	>350 F.
FLAMMABLE LIMITS	N/A
LOWER	N/A
UPPER	N/A
FIRE/EXPLOSION HAZARDS	No unusual hazards.
EXTINGUISHING MEDIA	Foam, CO2, dry chemical
FIRE FIGHTING PROCEDURES	Fire fighters should wear self-contained breathing apparatus with a full-face piece operated in the positive pressure demand mode and full protective clothing. Use water spray to cool nearby containers and structures.

	HEALTH	FIRE	REACTIVITY
HMIS:	1	0	0

RANKING: 0 = Least 1 = Slight 2 = Moderate 3 = High 4 = Extreme

6. ACCIDENTAL RELEASE PROCEDURES

SMALL SPILLS	Mop with water and flush to drain with plenty of water.
LARGE SPILLS	Contain with dike, absorb or vacuum to storage container. Dispose in accordance with all regulations.

7. HANDLING & STORAGE

STORAGE	Keep cool and dry
HANDLING	Avoid heat and freezing temperatures.

8. EXPOSURE CONTROL/ PERSONAL PROTECTION

EYE AND FACIAL	None required under normal conditions.
SKIN	None required under normal conditions.
RESPIRATORY	None required under normal conditions.
VENTILATION	Local mechanical ventilation to keep TLV'S below recommended levels. OTHER: None required under normal conditions.

9. PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT:	F 212
SOLUBILITY:	Complete
PERCENT VOLATILE:	80-85
VAPOR DENSITY:	N/A
EVAPORATION RATE (BUTYL ACETATE=1):	N/A
APPEARANCE & ODOR:	Clear liquid with characteristic odor.
PH:	7-8
VOC %:	<10%, <100 gms/l
VAPOR PRESSURE:	N/A
SPECIFIC GRAVITY:	1.01

10. STABILITY & REACTIVITY INFORMATION

STABILITY:	Stable
REACTIVITY:	N/A
HAZARDOUS DECOMPOSITION INGREDIENTS:	CO ₂ , CO, and phosphorous compounds.
HAZARDOUS POLYMERIZATION:	Will not occur

11. TOXICOLOGICAL INFORMATION

No toxicological information has been generated for this material

12. ECOLOGICAL INFORMATION

This product has never been found to present any environmental or ecological problems. Use according to the instructions. Dispose of in a sanitary manner.

13. DISPOSAL CONSIDERATION

Dispose in accordance with federal, state and local regulations. Usually may be flushed down drain with large amounts of water.

14. TRANSPORT INFORMATION

DOT HAZARD CLASS:	None.
DOT SHIPPING NAME:	Cleaning compound, NOI.

15. REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS:
TSCA-Intentional ingredients are listed; CERCLA RQ-N/A; SARA 302 Components-N/A; Section 311/312-N/A; Section 313 Components-N/A

16. OTHER INFORMATION

LEGEND: ND, NOT DETERMINED; N/A NOT APPLICABLE; NA, NOT AVAILABLE. | NOTICE
All information appearing herein is based upon data obtained from chemical manufacturers and or recognized technical sources. While the information is believed to be accurate, Snyder Manufacturing Corporation makes no representations as to its accuracy or sufficiency. Conditions of use are beyond Snyder Manufacturing Corporation's control and therefore users are responsible for and assume all risks of their use, handling, and disposal of the product, or from the publication or use of, or reliance upon, information contained herein. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or in any other process.